

Delivering 65+ years of innovative wire and cable solutions.

Water is a precious resource. But, for something so fragile, it must overcome extreme conditions to get to where it needs to go. That’s where we come in.

Paige engineers high performance water management and optimization solutions for the toughest environments. Our products are the most trusted because they’re the most tested. With Paige® Water & Outdoor, no barriers will stand in your way.



Temperature



Weather



Chemicals/Fertilizer
Treatments



Water Pressure

Paige delivers cable and wiring solutions, including custom cable and value-added assemblies for:

- ⚡ Agricultural Irrigation
- ⚡ Surface and Submersible Pumps
- ⚡ Commercial and Golf Irrigation
- ⚡ Residential Irrigation
- ⚡ Landscape Lighting, Sound, Invisible Fence and Tracer

Need help?

- Chat with us online: paigewater.com
- Give us a call: (908) 687-7810
- Send us a message: team@paigewater.com



Table of Contents

A. Conventional & 2-Wire Valve Control

A.1. Single Conductor.....	2 - 5
A.2. Multi-Conductor.....	5
A.3. Armored.....	5
A.4. 2-Wire Decoder Cables.....	6 - 9
A.5. 2-Wire Decoder Accessories.....	9

B. Outdoor Living

B.1. Lighting.....	10
B.2. Lighting Control.....	10
B.3. Speaker.....	10

C. Power & Communication

C.1. Flat UF-B Power Cable.....	11
C.2. Round Tray Cable Power Cable.....	11 - 12
C.3. Quadruplex.....	12
C.4. Cable-in-Conduit.....	13
C.5. Communication.....	13

D. Splicing & Connecting

D.1. Silicone Filled Splices.....	14
D.2. Re-Enterable & Re-Usable Connectors.....	15
D.3. Waterproofing & Insulating.....	15
D.4. Dry Location Splices.....	15

E. Grounding & Lightning Protection

E.1. Grounding.....	17 - 18
E.2. Tools, Accessories & Lightning Protection.....	18

F. Stripping Tools & Accessories

F.1. Stripping Tools.....	18
F.2. Accessories.....	19

G. Submersible Pump

G.1. Flat Jacketed.....	20
G.2. Twisted.....	20

H. Tracer & Invisible Fence

H.1. Tracer Wire.....	21
H.2. Invisible Fence.....	21

A. Conventional & 2-Wire Valve Control

A.1. Single Conductor

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7002D 18AWG

18AWG PVC Red	160010	18AWG D/B IRRIGTN WIRE RED 30V	500/2500	144/36	14
18AWG PVC White	160020	18AWG D/B IRRIGTN WIRE WHT 30V	500/2500	144/36	14
18AWG PVC Black	160030	18AWG D/B IRRIGTN WIRE BLK 30V	500/2500	144/36	14
18AWG PVC Orange	160040	18AWG D/B IRRIGTN WIRE ORG 30V	500/2500	144/36	14
18AWG PVC Blue	160050	18AWG D/B IRRIGTN WIRE BLU 30V	500/2500	144/36	14
18AWG PVC Yellow	160060	18AWG D/B IRRIGTN WIRE YLW 30V	500/2500	144/36	14
18AWG PVC Purple	160070	18AWG D/B IRRIGTN WIRE PRP 30V	500/2500	144/36	14
18AWG PVC Brown	160080	18AWG D/B IRRIGTN WIRE BRN 30V	500/2500	144/36	14
18AWG PVC Tan	160090	18AWG D/B IRRIGTN WIRE TAN 30V	500/2500	144/36	14
18AWG PVC Pink	160100	18AWG D/B IRRIGTN WIRE PNK 30V	500/2500	144/36	14
18AWG PVC Green	160130	18AWG D/B IRRIGTN WIRE GREEN 30V	500/2500	144/36	14

Paige Spec #P7002D 16AWG

16AWG PVC Red	160140	16AWG D/B IRRIGTN WIRE RED 30V	500/2500	144/36	16
16AWG PVC White	160150	16AWG D/B IRRIGTN WIRE WHT 30V	500/2500	144/36	16
16AWG PVC Black	160160	16AWG D/B IRRIGTN WIRE BLK 30V	500/2500	144/36	16
16AWG PVC Orange	160170	16AWG D/B IRRIGTN WIRE ORG 30V	500/2500	144/36	16
16AWG PVC Blue	160180	16AWG D/B IRRIGTN WIRE BLU 30V	500/2500	144/36	16
16AWG PVC Yellow	160190	16AWG D/B IRRIGTN WIRE YLW 30V	500/2500	144/36	16
16AWG PVC Purple	160200	16AWG D/B IRRIGTN WIRE PRP 30V	500/2500	144/36	16
16AWG PVC Brown	160210	16AWG D/B IRRIGTN WIRE BRN 30V	500/2500	144/36	16
16AWG PVC Tan	160220	16AWG D/B IRRIGTN WIRE TAN 30V	500/2500	144/36	16
16AWG PVC Pink	160225	16AWG D/B IRRIGTN WIRE PNK 30V	500/2500	144/36	16
16AWG PVC Grey	160230	16AWG D/B IRRIGTN WIRE GRY 30V	500/2500	144/36	16
16AWG PVC Green	160240	16AWG D/B IRRIGTN WIRE GRN 30V	500/2500	144/36	16

Paige Spec #P7001D 14AWG

14AWG PVC Red	160250C	14AWG SOL UF/TWU WIRE RED	500/1000/2500	80/48/27	28
14AWG PVC White	160260C	14AWG SOL UF/TWU WIRE WHITE	500/1000/2500	80/48/27	28
14AWG PVC Black	160270C	14AWG SOL UF/TWU WIRE BLACK	500/1000/2500	80/48/27	28
14AWG PVC Orange	160280C	14AWG SOL UF/TWU WIRE ORANGE	500/1000/2500	80/48/27	28
14AWG PVC Blue	160290C	14AWG SOL UF/TWU WIRE BLUE	500/1000/2500	80/48/27	28
14AWG PVC Yellow	160300C	14AWG SOL UF/TWU WIRE YELLOW	500/1000/2500	80/48/27	28
14AWG PVC Purple	160310C	14AWG SOL UF/TWU WIRE PURPLE	500/1000/2500	80/48/27	28
14AWG PVC Brown	160320C	14AWG SOL UF/TWU WIRE BROWN	500/1000/2500	80/48/27	28
14AWG PVC Tan	160330C	14AWG SOL UF/TWU WIRE TAN	500/1000/2500	80/48/27	28
14AWG PVC Pink	160340C	14AWG SOL UF/TWU WIRE PINK	500/1000/2500	80/48/27	28
14AWG PVC Grey	160350C	14AWG SOL UF/TWU WIRE GREY	500/1000/2500	80/48/27	28
14AWG PVC Green	160360C	14AWG SOL UF/TWU WIRE GREEN	500/1000/2500	80/48/27	28

A. Conventional & 2-Wire Valve Control

A.1. Single Conductor

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7001D 12AWG

12AWG PVC Red	160370C	12AWG SOL UF/TWU WIRE RED	500/2500	80/18	37
12AWG PVC White	160380C	12AWG SOL UF/TWU WIRE WHITE	500/2500	80/18	37
12AWG PVC Black	160390C	12AWG SOL UF/TWU WIRE BLACK	500/2500	80/18	37
12AWG PVC Orange	160400C	12AWG SOL UF/TWU WIRE ORANGE	500/2500	80/18	37
12AWG PVC Blue	160410C	12AWG SOL UF/TWU WIRE BLUE	500/2500	80/18	37
12AWG PVC Yellow	160420C	12AWG SOL UF/TWU WIRE YELLOW	500/2500	80/18	37
12AWG PVC Purple	160425C	12AWG SOL UF/TWU WIRE PURPLE	500/2500	80/18	37
12AWG PVC Green	160460C	12AWG SOL UF/TWU WIRE GREEN	500/2500	80/18	37

Paige Spec #P7001D 10AWG

10AWG PVC Red	160470C	10AWG SOL UF/TWU WIRE RED	500/2500	48/15	55
10AWG PVC White	160480C	10AWG SOL UF/TWU WIRE WHITE	500/2500	48/15	55
10AWG PVC Black	160490C	10AWG SOL UF/TWU WIRE BLACK	500/2500	48/15	55
10AWG PVC Blue	160510C	10AWG SOL UF/TWU WIRE BLUE	500/2500	48/15	55
10AWG PVC Yellow	160520C	10AWG SOL UF/TWU WIRE YELLOW	500/2500	48/15	55
10AWG PVC Green	160550C	10AWG SOL UF/TWU WIRE GREEN	500/2500	48/15	55

Paige Spec #P7001D 8AWG

8AWG PVC Red	160560C	8AWG SOL UF/TWU WIRE RED	500/2500	48/12	83
8AWG PVC White	160570C	8AWG SOL UF/TWU WIRE WHITE	500/2500	48/12	83
8AWG PVC Black	160580C	8AWG SOL UF/TWU WIRE BLACK	500/2500	48/12	83
8AWG PVC Green	160614C	8AWG SOL UF/TWU WIRE GREEN	500/2500	48/12	83

Paige Spec #P7001D 6AWG

6AWG PVC Red	160637C	6AWG STR UF/TWU WIRE RED	500/1000	36/18	126
6AWG PVC White	160640C	6AWG STR UF/TWU WIRE WHITE	500/1000	36/18	126
6AWG PVC Black	160650C	6AWG STR UF/TWU WIRE BLACK	500/1000	36/18	126
6AWG PVC Green	160670C	6AWG STR UF/TWU WIRE GREEN	500/1000	36/18	126

Paige Spec #P7001D 4AWG

4AWG PVC Red	160681C	4AWG STR UF/TWU WIRE RED	500/1000	27/15	155
4AWG PVC White	160680C	4AWG STR UF/TWU WIRE WHITE	500/1000	27/15	155
4AWG PVC Black	160690C	4AWG STR UF/TWU WIRE BLACK	500/1000	27/15	155
4AWG PVC Green	160695C	4AWG STR UF/TWU WIRE GREEN	500/1000	27/15	155

A. Conventional & 2-Wire Valve Control

A.1. Single Conductor

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7001D 2AWG

2AWG PVC Red	160754R	2AWG STR UF/TWU WIRE RED	500/1000	18/9	236
2AWG PVC White	160754C	2AWG STR UF/TWU WIRE WHITE	500/1000	18/9	236
2AWG PVC Black	160751C	2AWG STR UF/TWU WIRE BLACK	500/1000	18/9	236
2AWG PVC Green	160755C	2AWG STR UF/TWU WIRE GREEN	500/1000	18/9	236

Paige Spec #P7001D 1/0AWG

1/0AWG PVC Red	1607574	1/0AWG UF STR WIRE RED	500/1000	15/4	423
1/0AWG PVC White	1607571	1/0AWG UF STR WIRE WHITE	500/1000	15/4	423
1/0AWG PVC Black	1607572	1/0AWG UF STR WIRE BLACK	500/1000	15/4	423
1/0AWG PVC Green	1607573	1/0AWG UF STR WIRE GREEN	500/1000	15/4	423

Paige Spec #P7079D 14AWG

14AWG PE Red	150040C	14AWG PE GOLF WIRE RED 30V	500/1000/2500	80/72/27	20
14AWG PE White	150050C	14AWG PE GOLF WIRE WHITE 30V	500/1000/2500	80/72/27	20
14AWG PE Black	150060C	14AWG PE GOLF WIRE BLACK 30V	500/1000/2500	80/72/27	20
14AWG PE Orange	150070C	14AWG PE GOLF WIRE ORANGE 30V	500/1000/2500	80/72/27	20
14AWG PE Blue	150080C	14AWG PE GOLF WIRE BLUE 30V	500/1000/2500	80/72/27	20
14AWG PE Yellow	150090C	14AWG PE GOLF WIRE YELLOW 30V	500/1000/2500	80/72/27	20
14AWG PE Purple	150100C	14AWG PE GOLF WIRE PURPLE 30V	500/1000/2500	80/72/27	20
14AWG PE Brown	150110C	14AWG PE GOLF WIRE BROWN 30V	500/1000/2500	80/72/27	20
14AWG PE Tan	150120C	14AWG PE GOLF WIRE TAN 30V	500/1000/2500	80/72/27	20
14AWG PE Pink	150130C	14AWG PE GOLF WIRE PINK 30V	500/1000/2500	80/72/27	20
14AWG PE Grey	150140C	14AWG PE GOLF WIRE GREY 30V	500/1000/2500	80/72/27	20
14AWG PE Green	150150C	14AWG PE GOLF WIRE GREEN 30V	500/1000/2500	80/72/27	20

Paige Spec #P7079D 12AWG

12AWG PE RED	150160C	12AWG PE GOLF WIRE RED 30V	500/2500	72/27	29
12AWG PE WHITE	150170C	12AWG PE GOLF WIRE WHITE 30V	500/2500	72/27	29
12AWG PE BLACK	150180C	12AWG PE GOLF WIRE BLACK 30V	500/2500	72/27	29
12AWG PE ORANGE	150190C	12AWG PE GOLF WIRE ORANGE 30V	500/2500	72/27	29
12AWG PE BLUE	150200C	12AWG PE GOLF WIRE BLUE 30V	500/2500	72/27	29
12AWG PE YELLOW	150210C	12AWG PE GOLF WIRE YELLOW 30V	500/2500	72/27	29
12AWG PE GREY	150240C	12AWG PE GOLF WIRE GREY 30V	500/2500	72/27	29
12AWG PE GREEN	150250C	12AWG PE GOLF WIRE GREEN 30V	500/2500	72/27	29

A. Conventional & 2-Wire Valve Control

A.1. Single Conductor

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7079D 10AWG

10AWG PE RED	150260	10AWG PE GOLF WIRE RED 600V	2500	18	42
10AWG PE WHITE	150270	10AWG PE GOLF WIRE WHITE 600V	2500	18	42
10AWG PE BLACK	150280	10AWG PE GOLF WIRE BLACK 600V	2500	18	42
10AWG PE ORANGE	150290	10AWG PE GOLF WIRE ORANGE 600V	2500	18	42
10AWG PE BLUE	150300	10AWG PE GOLF WIRE BLUE 600V	2500	18	42
10AWG PE YELLOW	150310	10AWG PE GOLF WIRE YELLOW 600V	2500	18	42
10AWG PE GREEN	150350	10AWG PE GOLF WIRE GREEN 600V	2500	18	42

A.2. Multi-Conductor

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7183D 18AWG

18/2	180010	18AWG 2C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	144/144/125/48/27	21
18/3	180019	18AWG 3C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	144/144/125/48/27	27
18/4	180020	18AWG 4C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	144/125/48/36/18	35
18/5	180030	18AWG 5C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	144/125/48/36/15	43
18/6	180040	18AWG 6C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	144/120/48/36/15	54
18/7	180050	18AWG 7C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	144/120/48/27/15	58
18/8	180060	18AWG 8C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	144/108/36/27/12	66
18/9	180070	18AWG 9C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	125/108/36/36/8	75
18/10	180080	18AWG 10C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	125/108/27/27/8	84
18/12	180090	18AWG 12C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	125/48/27/27/8	96
18/13	180091	18AWG 13C D/B IRRIGTN CABLE 30V	100/250/500/1000/2500	125/48/27/27/8	104
18/16	180055	18AWG 16C D/B IRRIGTN CABLE 30V	250/500	60/48	128
18/19	180058	18AWG 19C D/B IRRIGTN CABLE 30V	250/500	60/48	150
18/25	180066	18AWG 25C D/B IRRIGTN CABLE 30V	250/500	48/36	193

A.3. Armored

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7167D 14AWG

14AWG Armored Red	160242	14AWG UF ARMORED RED JKT	2500		49
14AWG Armored White	160244	14AWG UF ARMORED WHITE JKT	2500		49
14AWG Armored Black	160243	14AWG UF ARMORED BLACK JKT	2500		49
14AWG Armored Blue	160245	14AWG UF ARMORED BLUE JKT	2500		49



A. Conventional & 2-Wire Valve Control

A.3. Armored

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7167D 12AWG

12AWG Armored Red	160430	12AWG UF ARMORED RED JKT	2500		58
12AWG Armored White	160440	12AWG UF ARMORED WHITE JKT	2500		58
12AWG Armored Black	160450	12AWG UF ARMORED BLACK JKT	2500		58

Paige Spec #P7167D 10AWG

10AWG Armored Red	160557	10AWG UF ARMORED RED JKT	2500		94
10AWG Armored White	160558	10AWG UF ARMORED WHITE JKT	2500		94

Paige Spec #P7168D 14AWG

14/2 Armored	160246	14AWG UF 2/C ARMORED	2500		140
14/3 Armored	1602471	14AWG UF 3/C ARMORED	2500		185

Paige Spec #P7168D 12AWG

12/2 Armored	160431	12AWG UF 2/C ARMORED	2500		230
12/3 Armored	1602472	12AWG UF 3/C ARMORED	2500		

A.4. 2-Wire Decoder Cables

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7389D TORO 14AWG

14AWG Twisted Black/Red	170116BKRD	14/2 PE75 TWSTD BLK/RED DECDR	1000/2500	15/2	65
14AWG Twisted Black/White	170116BKWT	14/2 PE75 TWSTD BLK/WHT DECDR	1000/2500	15/2	65
14AWG Twisted Black/Orange	170116BKOG	14/2 PE75 TWSTD BLK/ORG DECDR	1000/2500	15/2	65
14AWG Twisted Black/Blue	170116BKBU	14/2 PE75 TWSTD BLK/BLU DECDR	1000/2500	15/2	65
14AWG Twisted Black/Yellow	170116BKYL	14/2 PE75 TWSTD BLK/YEL DECDR	1000/2500	15/2	65
14AWG Twisted Black/Purple	170116BKPR	14/2 PE75 TWSTD BLK/PRP DECDR	1000/2500	15/2	65
14AWG Twisted Black/Tan	170116BKTN	14/2 PE75 TWSTD BLK/TAN DECDR	1000/2500	15/2	65
14AWG Twisted Black/Green	170116BKGN	14/2 PE75 TWSTD BLK/GRN DECDR	1000/2500	15/2	65
14AWG Twisted Black/Gray	170116BKGY	14/2 PE75 TWSTD BLK/GRY DECDR	1000/2500	15/2	65

A. Conventional & 2-Wire Valve Control

A.4. 2-Wire Decoder Cables

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7389D TORO 12AWG

12AWG Twisted Black/Red	170117BKRD	12/2 PE75 TWSTD BLK/RED DECDR	1000/2500	15/2	85
12AWG Twisted Black/White	170117BKWT	12/2 PE75 TWSTD BLK/WHT DECDR	1000/2500	15/2	85
12AWG Twisted Black/Orange	170117BKOG	12/2 PE75 TWSTD BLK/ORG DECDR	1000/2500	15/2	85
12AWG Twisted Black/Blue	170117BKBU	12/2 PE75 TWSTD BLK/BLU DECDR	1000/2500	15/2	85
12AWG Twisted Black/Yellow	170117BKYL	12/2 PE75 TWSTD BLK/YEL DECDR	1000/2500	15/2	85
12AWG Twisted Black/Purple	170117BKPR	12/2 PE75 TWSTD BLK/PRP DECDR	1000/2500	15/2	85
12AWG Twisted Black/Tan	170117BKTN	12/2 PE75 TWSTD BLK/TAN DECDR	1000/2500	15/2	85
12AWG Twisted Black/Green	170117BKGN	12/2 PE75 TWSTD BLK/GRN DECDR	1000/2500	15/2	85
12AWG Twisted Black/Gray	170117BKGY	12/2 PE75 TWSTD BLK/GRY DECDR	1000/2500	15/2	85

Paige Spec #P7350D TORO 14AWG

14AWG Jacketed Red	170800	14/2c TORO DCDR CABL RED	500/1000/2500	15/12/4	65
14AWG Jacketed Black	170800BLK	14/2c TORO DCDR CABL BLACK	500/1000/2500	15/12/4	65
14AWG Jacketed Orange	170800ORG	14/2c TORO DCDR CABL ORANGE	500/1000/2500	15/12/4	65
14AWG Jacketed Blue	170800BLU	14/2c TORO DCDR CABL BLUE	500/1000/2500	15/12/4	65
14AWG Jacketed Yellow	170800YEL	14/2c TORO DCDR CABL YELLOW	500/1000/2500	15/12/4	65
14AWG Jacketed Purple	170800PUR	14/2c TORO DCDR CABL PURPLE	500/1000/2500	15/12/4	65
14AWG Jacketed Tan	170800TN	14/2c TORO DCDR CABL TAN	500/1000/2500	15/12/4	65
14AWG Jacketed Green	170800GRN	14/2c TORO DCDR CABL GREEN	500/1000/2500	15/12/4	65
14AWG Jacketed Gray	170800GRY	14/2c TORO DCDR CABL GRAY	500/1000/2500	15/12/4	65

Paige Spec #P7350D TORO 12AWG

12AWG Jacketed Red	170804	12/2c TORO DCDR CABL RED	1000/2500	8/4	80
12AWG Jacketed Black	170804BLK	12/2c TORO DCDR CABL BLACK	1000/2500	8/4	80
12AWG Jacketed Orange	170804ORG	12/2c TORO DCDR CABL ORANGE	1000/2500	8/4	80
12AWG Jacketed Blue	170804BLU	12/2c TORO DCDR CABL BLUE	1000/2500	8/4	80
12AWG Jacketed Yellow	170804YEL	12/2c TORO DCDR CABL YELLOW	1000/2500	8/4	80
12AWG Jacketed Purple	170804PUR	12/2c TORO DCDR CABL PURPLE	1000/2500	8/4	80
12AWG Jacketed Tan	170804TN	12/2c TORO DCDR CABL TAN	1000/2500	8/4	80
12AWG Jacketed Green	170804GRN	12/2c TORO DCDR CABL GREEN	1000/2500	8/4	80
12AWG Jacketed Gray	170804GRY	12/2c TORO DCDR CABL GRAY	1000/2500	8/4	80

Paige Spec #P7313D Hunter 14AWG

14AWG Twisted Hunter	170116RB	14AWG 2C PE DCDR CBL RED/BLU	500/1000/2500	27/15/4	46
----------------------	----------	------------------------------	---------------	---------	----

A. Conventional & 2-Wire Valve Control

A.4. 2-Wire Decoder Cables

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7313D Hunter 12AWG

14AWG Twisted Hunter	170116RB	14AWG 2C PE DCDR CBL RED/BLU	500/1000/2500	27/15/4	46
12AWG Twisted Hunter	170109B	12AWG 2C PE DCDR CBL RED/BLU	500/1000/2500	27/15/4	65

Paige Spec #P7354D Hunter 14AWG

14AWG Jacketed Red	170801RD	14/2c HUNTER DECODER CBLE RED	500/1000/2500	15/12/4	65
14AWG Jacketed Orange	170801OG	14/2c HUNTER DECODER CBLE ORG	500/1000/2500	15/12/4	65
14AWG Jacketed Blue	170801BU	14/2c HUNTER DECODER CBLE BLUE	500/1000/2500	15/12/4	65
14AWG Jacketed Yellow	170801YL	14/2c HUNTER DECODER CBLE YELW	500/1000/2500	15/12/4	65
14AWG Jacketed Purple	170801PR	14/2c HUNTER DECODER CBLE PRPL	500/1000/2500	15/12/4	65
14AWG Jacketed Tan	170801TN	14/2c HUNTER DECODER CBLE TAN	500/1000/2500	15/12/4	65
14AWG Jacketed Gray	170801GY	14/2c HUNTER DECODER CBLE GRAY	500/1000/2500	15/12/4	65

Paige Spec #P7354D Hunter 12AWG

12AWG Jacketed Red	170802RD	12/2c HUNTER DECODER CBLE RED	500/1000/2500	8/4/4	80
12AWG Jacketed Orange	170802OG	12/2c HUNTER DECODER CBLE ORG	500/1000/2500	8/4/4	80
12AWG Jacketed Blue	170802BU	12/2c HUNTER DECODER CBLE BLUE	500/1000/2500	8/4/4	80
12AWG Jacketed Yellow	170802YL	12/2c HUNTER DECODER CBLE YELW	500/1000/2500	8/4/4	80
12AWG Jacketed Purple	170802PR	12/2c HUNTER DECODER CBLE PRPL	500/1000/2500	8/4/4	80
12AWG Jacketed Tan	170802TN	12/2c HUNTER DECODER CBLE TAN	500/1000/2500	8/4/4	80
12AWG Jacketed Gray	170802GY	12/2c HUNTER DECODER CBLE GRAY	500/1000/2500	8/4/4	80

Paige Spec #P7072D Rainbird 14AWG

14AWG Maxi-Cable Red	180115C	14/2 MAXI/2-WIRE CABLE RED	500/1000/2500	27/15/8	86
14AWG Maxi-Cable White	180126C	14/2 MAXI/2-WIRE CABLE WHITE	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Black	180127C	14/2 MAXI/2-WIRE CABLE BLACK	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Orange	180114C	14/2 MAXI/2-WIRE CABLE ORANGE	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Blue	180116C	14/2 MAXI/2-WIRE CABLE BLUE	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Yellow	180118C	14/2 MAXI/2-WIRE CABLE YELLOW	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Purple	1801181C	14/2 MAXI/2-WIRE CABLE PURPLE	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Brown	1801182C	14/2 MAXI/2-WIRE CABLE BROWN	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Pink	1801151C	14/2 MAXI/2-WIRE CABLE PINK	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Gray	1801183C	14/2 MAXI/2-WIRE CABLE GRAY	500/1000/2500	27/15/8	86
14AWG Maxi-Cable Green	180117C	14/2 MAXI/2-WIRE CABLE GREEN	500/1000/2500	27/15/8	86



A. Conventional & 2-Wire Valve Control

A.4. 2-Wire Decoder Cables

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7072D Rainbird 12AWG

12AWG Maxi-Cable Red	180161C	12/2 MAXI/2-WIRE CABLE RED	1000/2500	20/8	110
12AWG Maxi-Cable White	180170C	12/2 MAXI/2-WIRE CABLE WHITE	1000/2500	20/8	110
12AWG Maxi-Cable Black	180160C	12/2 MAXI/2-WIRE CABLE BLACK	1000/2500	20/8	110
12AWG Maxi-Cable Orange	180165C	12/2 MAXI/2-WIRE CABLE ORANGE	1000/2500	20/8	110
12AWG Maxi-Cable Blue	180162C	12/2 MAXI/2-WIRE CABLE BLUE	1000/2500	20/8	110
12AWG Maxi-Cable Yellow	180163C	12/2 MAXI/2-WIRE CABLE YELLOW	1000/2500	20/8	110
12AWG Maxi-Cable Purple	180168C	12/2 MAXI/2-WIRE CABLE PURPLE	1000/2500	20/8	110
12AWG Maxi-Cable Brown	180166C	12/2 MAXI/2-WIRE CABLE BROWN	1000/2500	20/8	110
12AWG Maxi-Cable Pink	180169C	12/2 MAXI/2-WIRE CABLE PINK	1000/2500	20/8	110
12AWG Maxi-Cable Gray	180167C	12/2 MAXI/2-WIRE CABLE GRAY	1000/2500	20/8	110
12AWG Maxi-Cable Green	180164C	12/2 MAXI/2-WIRE CABLE GREEN	1000/2500	20/8	110

A.5. 2-Wire Decoder Accessories

Model No.	Item No.	Description	Standard Quantities	Case Quantities
-----------	----------	-------------	---------------------	-----------------

Paige Spec #P7407D Decoder Cable Fuse Devise

DCFD Inline	270DCFD1	DECODER CABLE FUSE DEVICE INLINE	5	5
DCFD 2-Way	270DCFD	DECODER CABLE FUSE DEVICE 2WAY	5	5
DCFD 3-Way	270DCFD3	DECODER CABLE FUSE DEVICE 3WAY	5	5
DCFD Inline with Lightning Protect	270DCFD1L	DECODER CABLE FUSE DEVICE INLINE	5	5
DCFD 2-Way with Lightning Protect	270DCFDL	DECODER CABLE FUSE DEVICE 2WAY	5	5
DCFD 3-Way with Lightning Protect	270DCFD3L	DECODER CABLE FUSE DEVICE 3WAY	5	5

B. Outdoor Living

B.1. Lighting

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7190D Low Voltage Lighting Cable

18 AWG/2, Black	180015	18AWG 2C LoVo LTNG CBL BLK 30V	100/250/500/1000	252/100/80/64	27
16 AWG/2, Black	1800162	16AWG 2C LoVo LTNG CBL BLK 30V	100/250/500/1000	216/100/64/36	30
14 AWG/2, Black	180148	14AWG 2C LoVo LTNG CBL BLK 30V	100/250/500/1000	216/80/80/36	46
12 AWG/2, Black	180150	12AWG 2C LoVo LTNG CBL BLK 30V	100/250/500/1000	216/84/64/36	69
10 AWG/2, Black	180155	10AWG 2C LoVo LTNG CBL BLK 30V	100/250/500/1000	80/64/48/27	97
8 AWG/2, Black	180215	8AWG 2C LoVo LTNG CBL BLK 30V	100/250/500/1000	80/48/27	158

B.2. Lighting Control

Model No.	Item No.	Description	Standard Quantities	Case Quantities	lbs/MFT
-----------	----------	-------------	---------------------	-----------------	---------

Lighting Control

Outdoor Mech Timer, Right Outlet	270TN111RM	TN111RM 33 TIMER	1	36	
Indoor Mech Timer, Right Outlet	270402B	MECH TIMER INDOOR 3PRONG	4	24	
Indoor Mech Timer, Right Outlet	270403BN	MECH TIMER INDOOR 2PRONG	4	24	
Indoor Digital Astronomic Timer	270458Z	DIGITAL ASTRO TIMER INDOOR	4	24	
Indoor Astronomic Timer, Easy Prog	270DT200LT	TIMER INTERMATIC DT200LT	1	12	
Indoor Digital Astronomic Timer	270DT620CL	TIMER INTERMATIC DT620	1	12	
Outdoor Digital Astronomic Timer	270HB880RC	INTERMATIC HB880R OUTDR ASTR	1	6	
Photo Control with Swivel	270K4221	INTERMATIC K4221-33 PHOTO	1	50	

B.3. Speaker

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Speaker

16/2 Speaker	180SP162W	16/2 OUTDOR/INDOOR SPEAKER CBL	250/500		
16/4 Speaker	180SP164W	16/4 OUTDOR/INDOOR SPEAKER CBL	250/500		
14/2 Speaker	180SP142W	14/2 OUTDOR/INDOOR SPEAKER CBL	250/500		
14/4 Speaker	180SP144W	14/4 OUTDOR/INDOOR SPEAKER CBL	250/500		
12/2 Speaker	180SP122W	12/2 OUTDOR/INDOOR SPEAKER CBL	250/500		
12/4 Speaker	180SP124W	12/4 OUTDOR/INDOOR SPEAKER CBL	250/500		

C. Power & Communication

C.1. Flat UF-B Power Cable

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7295D - 2 Conductor without Ground

14/2 without Ground	170010	14/2 UF PLAIN SOL B/C UL D/B 600V	500/1000		67
12/2 without Ground	170030	12/2 UF PLAIN SOL B/C UL D/B 600V	500/1000		84
10/2 without Ground	170050	10/2 UF PLAIN SOL B/C UL D/B 600V	500/1000		114
8/2 without Ground	170070	8/2 UF PLAIN SOL B/C UL D/B 600V	500/1000		206

Paige Spec #P7295D - 3 Conductor without Ground

14/3 without Ground	170020	14/3 UF PLAIN SOL B/C UL D/B 600V	500/1000		97
12/3 without Ground	170040	12/3 UF PLAIN SOL B/C UL D/B 600V	500/1000		128
10/3 without Ground	170060	10/3 UF PLAIN SOL B/C UL D/B 600V	500/1000		172
8/3 without Ground	170080	8/3 UF PLAIN SOL B/C UL D/B 600V	500/1000		308
6/3 without Ground	170781	6/3 UF PLAIN SOL B/C UL D/B 600V	500/1000		469

Paige Spec #P7295D - 2 Conductor with Ground

14/2 with Ground	170090	14/2 UF W/GROUND SOL B/C UL D/B 600V	500/1000		78
12/2 with Ground	170110	12/2 UF W/GROUND SOL B/C UL D/B 600V	500/1000		109
10/2 with Ground	170130	10/2 UF W/GROUND SOL B/C UL D/B 600V	500/1000		155
8/2 with Ground	170150	8/2 UF W/GROUND SOL B/C UL D/B 600V	500/1000		230
6/2 with Ground	170170	6/2 UF W/GROUND SOL B/C UL D/B 600V	500/1000		383

Paige Spec #P7295D - 3 Conductor with Ground

14/3 with Ground	170100	14/3 UF W/GROUND SOL B/C UL D/B 600V	500/1000		110
12/3 with Ground	170120	12/3 UF W/GROUND SOL B/C UL D/B 600V	500/1000		147
10/3 with Ground	170140	10/3 UF W/GROUND SOL B/C UL D/B 600V	500/1000		218
8/3 with Ground	170160	8/3 UF W/GROUND SOL B/C UL D/B 600V	500/1000		346
6/3 with Ground	170180	6/3 UF W/GROUND SOL B/C UL D/B 600V	500/1000		

C.2. Round Tray Cable Power Cable

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7266D

14/3 Tray Cable	180146	14/3 THHN/PVC TC 600V UL D/B	1000		75
12/3 Tray Cable	182148	12/3 THHN/PVC TC 600V UL D/B	500/1000		162
10/3 Tray Cable	180608	10/3 THHN/PVC TC 600V UL D/B	500/1000		190

C. Power & Communication

C.2. Round Tray Cable Power Cable

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P7267D					
8/3 Tray Cable	180607	8/3 THHN/PVC TC 600V UL D/B	500/1000		299
6/3 Tray Cable	180600	6/3 THHN/PVC TC 600V UL D/B	500/1000		323
4/3 Tray Cable	180700	4/3 THHN/PVC TC 600V UL D/B	500/1000		653
2/3 Tray Cable	180605	2/3 THHN/PVC TC 600V UL D/B	250/1000		948
1-0/3 Tray Cable	180610	1/0-3 THHN/PVC TC 600V UL D/B	250		143

Paige Spec #P7393-AG

12/2 Tray Cable	170031	#12-2C CU THHN STRANDED VNTC			
-----------------	--------	------------------------------	--	--	--

C.3. Quadruplex

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P7328-AG					
#4	230025	#4-4C QUAD ALUMINUM 600V URD	Cut to length		255
#2	230035	#2-3C + #4-1C QUAD ALUMINUM	Cut to length		342
#1/0	230055	1/0-3C + #2-1C QUAD ALUMINUM	Cut to length		534
#2/0	230065	2/0-3C + #1-1C QUAD ALUMINUM	Cut to length		657
#4/0	230085	4/0-3C + 2/0-1C QUAD ALUMINUM	Cut to length		974
250MCM	230095	250MCM-3C + 3/0-1C QUAD AL	Cut to length		1124
350MCM	230105	350MCM-3C + 4/0-1C QUAD AL	Cut to length		1544
500MCM	230205	500MCM-3C + 350-1C QUAD AL	1500/2000		2185

Paige Spec #P7328 - Sureseal®-AG

#4 SURESEAL	230025SS	#4-4C QUAD ALUMINUM 600V URD SS	Cut to length		350
#2 SURESEAL	230035SS	#2-3C + #4-1C QUAD ALUMINUM SS	Cut to length		467
#1/0 SURESEAL	230055SS	1/0-3C + #2-1C QUAD ALUMINUM SS	Cut to length		634
#2/0 SURESEAL	230065SS	2/0-3C + #1-1C QUAD ALUMINUM SS	Cut to length		767
#4/0 SURESEAL	230085SS	4/0-3C + 2/0-1C QUAD ALUMINUM SS	Cut to length		1167
250MCM SURESEAL	230095SS	250MCM-3C + 3/0-1C QUAD AL SS	Cut to length		1300
350MCM SURESEAL	230105SS	350MCM-3C + 4/0-1C QUAD AL SS	Cut to length		1667
500MCM SURESEAL	230205SS	500MCM-3C + 350-1C QUAD AL SS	1500/2400		2400

C. Power & Communication

C.4. Cable-in-Conduit

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P7304D-AG					
7C #12 CU THHN 1"	243315	#12-7C CU THHN INSTALLED IN	6000/Cut to length		
2C #12 CU THHN	240040	#12-2C CU THHN INSTALLED IN	6000/Cut to length		190
#4-4	240071	#4-4C QUAD ALUMINUM	6000/Cut to length		597
#4-4 + 2C #12	240075THHN	#4-4C AL USE W #12-2C CU THHN	6000/Cut to length		675
#4-4 + 7C #12 CU THHN	240077THHN	#4-4C AL USE W #12-7C CU THHN	6000/Cut to length		820
#2-3 + 1 #4	240081	#2-3C + #4-1C ALUMINUM	6000/Cut to length		672
#2-3 + 1 #4 + 2C #12	240085THHN	#2-3C + #4-1C AL USE W #12-2C	6000/Cut to length		750
#2-3 + 1 #4 + 7C #12 CU THHN	240087THHN	#2-3C +1C #4 AL USE W #12-7C	6000/Cut to length		1110
#1/0-3 + 1 #4	240106	1/0-3C + #4-1C ALUMINUM	4500/Cut to length		1122
#1/0-3 + 1 #4 2C #12	240105THHN	1/0-3C + #4-1C AL USE W #12-2C	4500/Cut to length		1200
#2/0-3 + 1 #2	240206	2/0-3C + #2-1C ALUMINUM	3000/Cut to length		1397
#2/0-3 + 1 #2 + 2C #12	240205THHN	2/0-3C + #2-1C AL w/ #12-2C CU	3000/Cut to length		1475
#4/0-3 + 1 #2	240405	4/0-3C + #2-1C ALUMINUM	3000/Cut to length		1852
#4/0-3 + 1 #2 + 2C #12	240305THHN	4/0-3C + #2-1C AL W/ #12-2C CU	3000/Cut to length		1930
#250MCM-3 + 1 #1/0	240450S40	250MCM-3C + 1/0-1C ALUMINUM	1500		2050
#350MCM-3 + 1 #2/0	240506S40	350MCM-3C + 2/0-1C ALUMINUM	1500		2360
#500MCM-3 + 1 #2/0	240605S40	500MCM-3C + 2/0-1C ALUMINUM	1500		3362

C.5. Communication

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P7162D & P7162D-A Toro					
16AWG 1 Pair Shielded	180095TH	16AWG/1PR IRR CABLE	500/1000/2500/5000		65
16AWG 1 Pair Shield & Armor	180096TH	16AWG/1PR SHLD&ARM	1000		84

Paige Spec #P7315D Toro

19AWG 3 Pair	6411913	19AWG/3PR PE-89	1000		93
19AWG 6 Pair	641191	19AWG/6PR PE-89	1000		170

Paige Spec #7171D & P7171D-A

18AWG 2 Pair Shield & Armor	180007	18AWG/2PR SHLD/ARM	500/1000/2500		65
18AWG 2 Pair Shielded	180008	18AWG/2PR SHLD/DRAIN	500/1000		84

Paige Spec #P7195D

20AWG 3 Pair	180006	20AWG/3PR IND	500/1000		70
--------------	--------	---------------	----------	--	----

D. Splicing & Connecting

D.1. Silicone Filled Splices

Model No.	Item No.	Description	Standard Quantities	Case Quantities
-----------	----------	-------------	---------------------	-----------------

Page Spec #P7372D - Ideal WeatherProof Direct Bury Temporary Submersion



Small Grey/Orange Card	270i61B	IDEAL 30-1161, SMALL 22-14AWG	Card of 25	125
Small Grey/Orange Jar	270i61J	IDEAL 30-1261J, SMALL 22-14AWG	Jar of 150	900
Small Grey/Orange Box	270i61D	IDEAL 30-1361, SMALL 22-14AWG	Box of 1000	1000
Medium Grey/Red Card	270i62B	IDEAL 30-1162, MEDIUM 18-8AWG	Card of 20	100
Medium Grey/Red Jar	270i62J	IDEAL 30-1262J, MEDIUM 18-8AWG	Jar of 100	600
Medium Grey/Red Box	270i62D	IDEAL 30-1362, MEDIUM 18-8AWG	Box of 1000	1000
Large Grey/Dark Blue Card	270i63B	IDEAL 30-1163, LARGE 16-6AWG	Card of 15	75
Large Grey/Dark Blue Jar	270i63J	IDEAL 30-1263J, LARGE 16-6AWG	Jar of 50	300
Large Grey/Dark Blue Box	270i63D	IDEAL 30-1363, LARGE 16-6AWG	Box of 1000	1000

Paige Spec #P7372D - Ideal Underground Continuous Submersion



Small Grey/Blue Small Card	270i60A	IDEAL 30-060, SMALL 20-10AWG	Card of 2	10
Small Grey/Blue Large Card	270i60B	IDEAL 30-760, SMALL 20-10AWG	Card of 10	50
Small Grey/Blue Small Box	270i60C	IDEAL 30-260, SMALL 20-10AWG	Box of 1000	100
Small Grey/Blue Large Box	270i60D	IDEAL 30-360, SMALL 20-10AWG	Box of 1000	1000
Medium Grey/Dark Blue Small Card	270i64A	IDEAL 30-064, MEDIUM 18-8AWG	Card of 2	10
Medium Grey/Dark Blue Large Card	270i64B	IDEAL 30-764, MEDIUM 18-8AWG	Card of 10	50
Medium Grey/Dark Blue Small Box	270i64C	IDEAL 30-264, MEDIUM 18-8AWG	Box of 50	50
Medium Grey/Dark Blue Large Box	270i64D	IDEAL 30-364, MEDIUM 18-8AWG	Box of 1000	1000
Large Grey/Dark Blue Small Card	270i66A	IDEAL 30-066, LARGE 14-6AWG	Card of 2	10
Large Grey/Dark Blue Large Card	270i66B	IDEAL 30-766, LARGE 14-6AWG	Card of 6	30
Large Grey/Dark Blue Box	270i66C	IDEAL 30-266, LARGE 14-6AWG	Box of 50	50

Paige Spec #P7364D - 3M Direct Bury Splice Kit



DBR/Y-6 Bulk	270672	3M DBR/Y-6 (BULK) WTRPF CNCTR	100	100
DBR/Y-6 Kit	270673	3M DBR/Y-6 KIT (2-PK) WTRPF CNCTR	25	25
DBO/B-6 Bulk	270674	3M DBO/B-6 (BULK) WTRPF CNCTR	100	100
DBO/B-6 Kit	270675	3M DBO/B-6 KIT (2-PK) WTRPF CNCTR	25	25

3M Gel-filled Insulation Displacement Connector



#314 Wire Connector Bag	270314	3M #314 WIRE CONNECTOR 22-14AWG	50	50
#314 Wire Connector Bulk	270317	3M #314 WIRE CONNECTOR 22-14AWG	1000	1000
#316 Wire Connector	270228R	3M #316 WIRE CONNECTOR 22-16AWG	30	300
MGC Wire Connector Pack	270MGC	3M MOISTURE GUARD CONN 22-16AWG	25	250
MGC Wire Connector Jug	270MGCJUG	3M MOISTURE GUARD CONN 22-16AWG	100	400



3M
Master Distributor
Irrigation Market

D. Splicing & Connecting

D.2. Re-Enterable & Re-Usable Connectors

Model No.	Item No.	Description	Standard Quantities	Case Quantities
-----------	----------	-------------	---------------------	-----------------



Paige Spec #P7408D - Re-Enterable & Re-Usable Connectors

2-Position Re-Enterable Connector	270RC2	RE-ENTRBL 2 POS 3-PACK 14-2/0AWG	3 Pack	30
3-Position Re-Enterable Connector	270RC3	RE-ENTRBL 3 POS 3-PACK 14-2/0AWG	3 Pack	30
4-Position Re-Enterable Connector	270RC4	RE-ENTRBL 4 POS 3-PACK 14-2/0AWG	3 Pack	30
6-Position Re-Enterable Connector	270RC6	RE-ENTRBL 6 POS 3-PACK 14-2/0AWG	3 Pack	30

D.3. Waterproofing & Insulating

Model No.	Item No.	Description	Standard Quantities	Case Quantities
-----------	----------	-------------	---------------------	-----------------



Kit, Resin & Epoxy

CRIMP & SHRINK, 18-14AWG	270MH14BCX	CRIMP-N-SHRINK (18-14) CONN	25	100
CRIMP & SHRINK, 18-8AWG	270MH10BCX	CRIMP-N-SHRINK (18-8) CONN	25	100
3M SLIC Waterproofing Kit	273211	SLIC COM CBL SPLC KIT 2/BAG	2 Pack	12
3M Epoxy Packs	270320	3M #3570G-N S/LOK CONN SEAL PK	10	100
3M #4 Resin 3.2oz	270322	3M #4N SIZE A RESIN 3.2 OZ	10	10
3M #4 Resin 7.4oz	270323	3M #4N SIZE B RESIN 7.4 OZ	10	10
3M #82-A RESIN SPLICES	270329	3M 25016 82-AN SPLICE KITS	1	10
3M #82-A1 RESIN SPLICES	270340	3M 82-A1N RESIN SPLICE KIT	1	10
SPLICE KIT, P273210D	273210	POTTED SPL KIT FOR TORO 16/2	1	10
3M #82-A2 RESIN SPLICES	270330	3M 25032 82-A2N RESIN PAKS	1	10
3M #82-B1 WYE SPLICES	270375	3M 82-B1N WYE SPLICE KIT	1	10
3M SCOTCHKOTE ELEC. COAT.	270388	3M 60151 SCOTCHKOTE-FD	10	10

3M is a registered trademark of the 3M Company.



D. Splicing & Connecting

D.4. Dry Location Splicing

Model No.	Item No.	Description	Standard Quantities	Case Quantities
-----------	----------	-------------	---------------------	-----------------

Soft Skirt Wire Connectors



Orange/Blue 20-12AWG	270306	3M #43152 TYPE O/B CONN BOXED	100	1000
Orange/Blue 20-12AWG Jug	270304	3M #43153 TYPE O/B CONN JUG	500	1000
Tan/Red 18-8AWG	270307TR	TYPE T/R USE WITH 3570G-N EPOXY PACK	100	100
Red/Yellow 18-8AWG	270308	3M #50424 TYPE R/Y CONN	100	100
Blue/Gray 14-8AWG	270309BG	3M B/G CONN	50	100

D.4. Dry Location Splicing


Model No.	Item No.	Description	Standard Quantities	Case Quantities
-----------	----------	-------------	---------------------	-----------------

Rigid Plastic Wire Connectors



Gray 22-16AWG	270303G	3M #43152 TYPE O/B CONN BOXED	100	100
Blue 22-14AWG	270303B	3M #50423 TYPE O/B CONN BULK	100	100
Orange 18-14AWG	270303O	3M #43153 TYPE O/B CONN JUG	100	100

Brass Split Bolts



#8 and #10	181994	#8-#10 SPLIT BOLT CONNECTOR	1	100
#6	181999	#6 SPLIT BOLT CONNECTOR	1	100
#4	181998	#4 SPLIT BOLT CONNECTOR	1	50
#2	181997	#2 SPLIT BOLT CONNECTOR	1	50
#1/0	181993	#1/0 SPLIT BOLT CONNECTOR	1	25
#2/0	181992	#2/0 SPLIT BOLT CONNECTOR	1	25

E. Grounding & Lightning Protection

E.1. Grounding

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
-----------	----------	-------------	-----------------------	--------------	---------

Paige Spec #P7345D Bare Copper Solid



18AWG Solid	160120	18 AWG SOL BARE COPPER	250/500/1000		65
16AWG Solid	160137	16 AWG SOL BARE COPPER	250/500/1000		84
14AWG Solid	160248	14 AWG SOL BARE COPPER	250/500/1000		
12AWG Solid	160364	12 AWG SOL BARE COPPER	250/500/1000		
10AWG Solid	160465	10 AWG SOL BARE COPPER	250/500/1000		
8AWG Solid	160629	8 AWG SOL BARE COPPER	250/500/1000		
6AWG Solid	160635	6 AWG SOL BARE COPPER	250/500/1000		
4AWG Solid	160678	4 AWG SOL BARE COPPER	250/500/1000		
2AWG Solid	160738	2 AWG SOL BARE COPPER	250/500/1000		

Paige Spec #P7345D Bare Copper Stranded



12AWG Stranded	160365	12 AWG STRANDED BARE COPPER	250/500/1000		
10AWG Stranded	160466	10 AWG STRANDED BARE COPPER	250/500/1000		
8AWG Stranded	160630	8 AWG STRANDED BARE COPPER	250/500/1000		
6AWG Stranded	160636	6 AWG STRANDED BARE COPPER	250/500/1000		
4AWG Stranded	160679	4 AWG STRANDED BARE COPPER	250/500/1000		
2AWG Stranded	160739	2 AWG STRANDED BARE COPPER	250/500/1000		
1/0 Stranded	160074	1/0 AWG STRANDED BARE COPPER	250/500/1000		

Grounding Wire



6AWG Solid Copper Insulated	150854	6 AWG SBC GRD INS COND GREEN	250/500		100
-----------------------------	--------	------------------------------	---------	--	-----

Grounding Rods



5/8" x 8ft	182000	5/8"X8' GROUNDING ROD	each		
5/8" x 10ft	182007	5/8"X10' GROUNDING ROD	each		
5/8" x 8ft with 15ft of #10	182000IC10	5/8"X8' GROUNDING ROD W/10AWG X 15'	each		
5/8" x 8ft with 15ft of #6	182000IC6	5/8"X8' GROUNDING ROD W/6AWG X 15'	each		
5/8" x 10ft with 25ft of #6	182007IC6	5/8"X10' GROUNDING ROD W/6AWG X 25'	each		

Grounding Plates



4" x 96" Plate with 25ft of #6	182199IC	PLT ASY, Cu GRND 4"X8"W/#6 AWG	each		
4" x 36" Plate with 10ft of #10	182201IC	PLT ASY, Cu GRD 4"X3"W/#10 GRN	each		

E. Grounding & Lightning Protection

E.1. Grounding

Model No.	Item No.	Description	Standard Quantities	Case Quantities
Grounding Clamps & Splices 				
5/8" Grounding Clamp	182005	5/8" CLAMP FOR GROUNDING	1	50
Cadweld GR1161G-PLUS	1820037P	CADWELD (1 CONN. 6 & 8 AWG)	1	6
Cadweld GT1161G-PLUS	1820039P	CADWELD (2 CONN. 6 & 8 AWG)	1	6
Cadweld NT1161G-PLUS	1820038P	CADWELD (3 CONN. 6 & 8 AWG)	1	6
Cadweld NX1161G-PLUS	1820060P	CADWELD (4 CONN. 6 & 8 AWG)	1	6
Cadweld GR1161L-PLUS	1820043P	CADWELD (1 CONN. 4 AWG)	1	6
Cadweld GT1161L-PLUS	1820053P	CADWELD (2 CONN. 4 AWG)	1	6
Cadweld NT1161L-PLUS	1820054P	CADWELD (3 CONN. 4 AWG)	1	6
Cadweld NX1161L-PLUS	1820061P	CADWELD (4 CONN. 4 AWG)	1	6
Cadweld GR1161V-PLUS	1820045P	CADWELD (1 CONN. 2 AWG)	1	6
Cadweld GT1161V-PLUS	1820044P	CADWELD (2 CONN. 2 AWG)	1	6
Cadweld NT1161V-PLUS	1820055P	CADWELD (3 CONN. 2 AWG)	1	6
Cadweld NX1161V-PLUS	1820068P	CADWELD (4 CONN. 2 AWG)	1	6
Cadweld PG11L-PLUS SPLICE	1820074P	CADWELD (4 CONN. 6 & 4 AWG)	1	6

E.2. Tools, Accessories & Lightning Protection

Model No.	Item No.	Description	Standard Quantities	Case Quantities
Tools, Accessories & Lightning Protection 				
Intermatic Lightning Arrester	250090LED	INTERMATIC AG2401C3 ARRESTER	1	6
Surge Guard Lightning Arrester	270SSG	SURGE GUARD LIGHTNING ARRESTER	1	50
Cadweld Control Unit	18200402L6	CADWELD IMPULSE CONTROL UNIT	1	1
PowerFill	1820059	PowerFill™ EARTH CONTACT BACKFILL 50#	1	Pallet Qty 50
PowerSet	1820058	PowerSet™ EARTH CONTACT BACKFILL 50#	1	Pallet Qty 50


F. Stripping Tools & Accessories

F.1. Stripping Tools

Model No.	Item No.	Description	Standard Quantities	Case Quantities
Stripping Tools 				
Multi-Conductor Stripping Tool	270004	ROUND CABLE STRIPPING TOOL	1	1
Maxi-Cable Stripping Tool	270041	FLAT CABLE STRIPPING TOOL	1	1

F. Stripping Tools & Accessories

F.2. Accessories

Model No.	Item No.	Description	Standard Quantities	Case Quantities
Tapes 				
Electrical Tape 3/4" x 76'	270389	3M 06132 SUPER 33 + TAPE	1	100
Electrical Tape 3/4" x 60'	270385	3M TEMFLEX TAPE 165	1	100
Electrical Tape Economy 3/4" x 60'	270ET211	ECONOMY ELECTRICAL TAPE 3/4"	1	200
Rubber Tape 3/4" x 30'	270001	3M #23 RUBBER SPLICING TAPE 3/4"	1	50
Rubber Tape 1" X 30'	270003	3M #23 RUBBER SPLICING TAPE 1"	1	50
Scotchfill Putty 3M #15140	270387	3M 41750 SCTCH FIL PUTT	1	10
Duct Tape 2" x 60 YDS	270417	3M 3939 DUCT TAPE 2" X 60 YARD	1	24
Duct Tape Economy 2" x 60 YDS	270P217	DUCT TAPE 2" X 60 YDS 7.5 MILS	1	24
Packaging Tape 2" x 328'	270396	3M# 3710 SEAL TAPE CLEAR 48MM	1	36
Warning Tape, Non-Detectable	270328	3" x 1000', NON-DETECTABLE	1	4
Warning Tape, Detectable	270328D	3" x 1000', DETECTABLE	1	4
Color Coding Tape, Red	270412	3M 35-RED (3/4" X 66')	1	100
Color Coding Tape, White	270414	3M 35-WHITE (3/4" X 66')	1	100
Color Coding Tape, Green	270415	3M 35-GREEN (3/4" X 66')	1	100

Marking

Wire Marking Tags	270WMT	WIRE MARKING TAGS PRINTED	25	25
Permanent Ink Pen for Tags	270WMP	PEN FOR MARKING TAGS	1	25
Wire Marking Dispenser 0-9	270391	STD 0-9 DISPENSER FILLED w/0 TO 9	1	25
Wire Marking Dispenser Colors	270393	STD C DISPENSER FILLED w/COLORS	1	25
Refill Kit 0-9	270501	SDR 0-9 REFILL KIT 0 TO 9 ROLLS	1	10
Refill Kit Colors	270502	SDR-MC REFILL KIT COLOR ROLLS	1	10

Power Cords

6' Straight Plug	090082ODST	16/3 6' STRAIGHT PLUG	1	50
6' Right Angle Plug	090082OD	16/3 6' RIGHT ANGLE PLUG	1	50
8' Right Angle Plug	090081OD	16/3 8' RIGHT ANGLE PLUG	1	50
6' Straight Plug + Waterproof Gland	090082SG	16/3 6' STRAIGHT PLUG W/ WATERPROOF	1	50
6' Right Angle + Waterproof Gland	090082AG	16/3 6' R/A PLUG W/ WATERPROOF	1	50
8' Right Angle + Waterproof Gland	090081AG	16/3 8' R/A PLUG W/ WATERPROOF	1	50

Cable Ties

8" Black Cable Tie	270216	CT8BK50-C 8" CABLE TIE BLACK	100	1000
11" Black Cable Tie	270379	CT11BK50-C 11" BLACK CABLE TIE	100	1000
15" Black Cable Tie	270215	CT15BK50-C 15" CABLE TIE BLACK	100	500

G. Submersible Pump

G.1. Flat Jacketed

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P7271-SP Flat Jacketed					
14/2 FLAT JCK w/ GRD	020016	14/2 WG PAIGE P7271-SP90	500/1000		
14/3 FLAT JCK w/ GRD	020012	14/3 WG PAIGE P7271-SP90	500/1000		
12/2 FLAT JCK w/ GRD	020013	12/2 WG PAIGE P7271-SP90	500/1000		
12/3 FLAT JCK w/ GRD	020026	12/3 WG PAIGE P7271-SP91	500/1000		
10/3 FLAT JCK w/ GRD	020036	10/3 WG PAIGE P7271-SP92	500/1000		
8/3 FLAT JCK w/ GRD	020046	8/3 WG PAIGE P7271-SP93	500/1000		
6/3 FLAT JCK w/ GRD	020056	6/3 WG PAIGE P7271-SP94	500/1000		
4/3 FLAT JCK w/ GRD	020066	4/3 WG PAIGE P7271-SP95	500/1000		

G.2. Twisted

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P7007-SP Twisted					
14/2 TWST w/ GRD	000015	14/2 W/GRND SOL B/C TYPE THW	500/1000		
14/3 TWST w/ GRD	000020	14/3 W/GRND SOL B/C TYPE THW	500/1000		
12/2 TWST w/ GRD	000035	12/2 W/GRND SOL B/C TYPE THW	500/1000		
12/3 TWST w/ GRD	000045	12/3 W/GRND SOL B/C TYPE THW	500/1000		
10/3 TWST w/ GRD	000065	10/3 W/GRND SOL B/C TYPE THW	500/1000		
8/3 TWST w/ GRD	000085	8/3 W/GRND SOL B/C TYPE THW	500/1000		
6/3 TWST w/ GRD	000095	6/3 W/GRND SOL B/C TYPE THW	500/1000		
4/3 TWST w/ GRD	000105	4/3 W/GRND SOL B/C TYPE THW	500/1000		


Paige submersible pump cables are built to the highest standard

As the experts in creating reliable, value-added assemblies and overmolded products, we understand that the most trusted solutions are the most tested ones. And that’s certainly true for our submersible pump cables. Not only are they made to thrive in the most rugged environments, but they’re also NSF certified to NSF/ANSI/CAN 61, making them safe and effective to put in potable water.



We're NSF certified

Our products aren't just high quality; they're safe and effective to put in potable water.



H. Tracer & Invisible Fence


H.1 Tracer Wire

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P9494 & P9496					
12/1 Solid PE Green	791205	12-1 SOLID PE 45 MIL GREEN	500	80	29
12/1 Solid PE Blue	790200WAT	12-1 SOLID PE 45 MIL BLUE	500	80	29
12/1 Solid PE Yellow	79346305	12/1 SOLID PE 30 MIL YELLOW	500	80	29
12/1 Solid PE Yellow HS	7912CCSYEL	12/1 PE 30 MIL YELLOW HIGH STRENGTH	500	80	29
14/1 Solid PE Yellow	790020	14/1 PE 30 MIL YELLOW	500	80	20
14/1 Solid PE Yellow HS	7914CCSYEL	14/1 PE 30 MIL YELLOW HIGH STRENGTH	500	80	20
14/1 Solid PE Yellow	791430CFY	14/1 30 MIL HMWPE CCS YELLOW	500	80	20
14/1 Solid PE Yellow	790028	14/1 SOLID PE 45 MIL YELLOW	500	80	20
12/1 Solid PE Yellow	791201	12/1 SOLID HMWPE 45 MIL YELLOW	500	80	20
14AWG PVC Yellow	160300C	14AWG SOL UF/TWU WIRE YELLOW	500/1000/2500	80/48/27	28
14AWG PVC Green	160360C	14AWG SOL UF/TWU WIRE GREEN	500/1000/2500	80/48/27	28

H.2. Invisible Fence

Model No.	Item No.	Description	Standard Coil Lengths	Coils/Pallet	lbs/MFT
Paige Spec #P9495 Pet Fence					
16AWG Solid	791645CFBK	16-1 SOLID HMWPE FENCE WIRE			
14AWG Solid	790012	14-1 SOLID HMWPE FENCE WIRE			
16AWG Stranded	790045	16-1 STRANDED HMWPE FENCE WIRE			
14AWG Stranded	790005	14-1 STRANDED HMWPE FENCE WIRE			
14/2 Twisted	790003	14/2 TWISTED PE BLACK/BROWN	100/500		
14AWG 45MIL	79000505	14 AWG 45MIL ETL PE BLACK	500		
16AWG 19 Strand	791619STR	16 AWG 19STR HMWPE TRACER	500/1000		
16AWG 45MIL	791619SOL	16 AWG SOLID 45 MIL HMWPE	500/1000		
16/2 PE 30	791603	16/2 STR PE 30 BLACK/BROWN	500		

Download a digital copy of this guide



Keep your Paige Buyer's Guide close at hand by downloading a copy and saving to your device.

Scan the QR code or visit paigewater.com and find the latest Buyer's Guide under "Resources."



(908) 687-7810 / paigewater.com
team@paigewater.com